



SPORTON LAB.



Certificate No: **EC641706**

CERTIFICATE

EQUIPMENT : Network Security Platform (Firewall)
MODEL NO. : DFL-200 series, DFL-210 series, DFL-260 series,
DFL-S2 series
APPLICANT : D-LINK Corporation
No. 289, Sinhu 3rd Rd., Neihu District,
Taipei City 114, Taiwan, R.O.C.



I HEREBY CERTIFY THAT:

THE MEASUREMENTS SHOWN IN THIS TEST REPORT WERE MADE IN ACCORDANCE WITH THE PROCEDURES GIVEN IN **EUROPEAN COUNCIL DIRECTIVE 89/336/EEC**. THE EQUIPMENT WAS **PASSED** THE TEST PERFORMED ACCORDING TO
European Standard EN 55022:1998/A1:2000/A2:2003 Class A,
EN 61000-3-2:2000, EN 61000-3-3:1995/A1:2001,
EN 55024:1998/A1:2001/A2:2003 (IEC 61000-4-2:1995/A2:2000,
IEC 61000-4-3:1996, IEC 61000-4-4:1995/A2:2001,
IEC 61000-4-5:1995/A1:2000, IEC 61000-4-6:1996/A1:2000,
IEC 61000-4-8:1993/A1:2000, IEC 61000-4-11:1994/A1:2000).
THE TEST WAS CARRIED OUT ON **May 22, 2006** AT
SPORTON INTERNATIONAL INC. LAB.

Alex Chen
Manager



EMC TEST REPORT

according to

**European Standard EN 55022:1998/A1:2000/A2:2003 Class A,
EN 61000-3-2:2000, EN 61000-3-3:1995/A1:2001 and
EN 55024:1998/A1:2001/A2:2003 (IEC 61000-4-2:1995/A2:2000,
IEC 61000-4-3:2002, IEC 61000-4-4:1995/A2:2001,
IEC 61000-4-5:1995/A1:2000, IEC 61000-4-6:1996/A1:2000,
IEC 61000-4-8:1993/A1:2000, IEC 61000-4-11:1994/A1:2000)**

Equipment : Network Security Platform (Firewall)

Model No. : DFL-200 series, DFL-210 series,
DFL-260 series, DFL-S2 series

Applicant : **D-LINK Corporation**
No. 289, Sinhu 3rd Rd., Neihu District,
Taipei City 114, Taiwan, R.O.C.

- The test result refers exclusively to the test presented test model / sample.
- Without written approval of SPORTON International Inc., the test report shall not be reproduced except in full.
- This test report is only applicable to European Community.

SPORTON International Inc.

6F, No. 106, Sec. 1, Hsin Tai Wu Rd., Hsi Chih, Taipei Hsien, Taiwan, R.O.C.

Table of Contents

History of this test report.....	iii
CERTIFICATE OF COMPLIANCE.....	1
1. General Description of Equipment under Test.....	2
1.1 Applicant.....	2
1.2 Manufacturer.....	2
1.3 Basic Description of Equipment under Test.....	2
1.4 Feature of Equipment under Test.....	2
2. Test Configuration of Equipment under Test.....	3
2.1 Test Manner.....	3
2.2 Description of Test System.....	3
3. Test Software.....	5
4. General Information of Test.....	6
4.1 Test Facility.....	6
4.2 Test Voltage.....	6
4.3 Standard for Methods of Measurement.....	6
4.4 Test in Compliance with.....	6
4.5 Frequency Range Investigated.....	6
4.6 Test Distance.....	6
5. Test of Conducted Powerline.....	7
5.1 Description of Major Test Instruments.....	7
5.2 Test Procedures.....	7
5.3 Typical Test Setup Layout of Conducted Powerline.....	8
5.4 Typical Test Setup Layout of Disturbances at Telecommunication Ports.....	9
5.5 Test Result of AC Powerline Conducted Emission.....	10
5.6 Test Result of Disturbances at Telecommunication Ports.....	12
5.7 Photographs of Conducted Powerline Test Configuration.....	14
6. Test of Radiated Emission.....	15
6.1 Description of Major Test Instruments.....	15
6.2 Test Procedures.....	16
6.3 Typical Test Setup Layout of Radiated Emission.....	17
6.4 Test Result of Radiated Emission.....	18
6.5 Photographs of Radiated Emission Test Configuration.....	22
7. Harmonics Test.....	23
8. Voltage Fluctuations Test.....	24
8.1 Standard.....	24
8.2 Test Procedure.....	24
8.3 Test Equipment Settings.....	24
8.4 Test Setup.....	24
8.5 Test Result of Voltage Fluctuation and Flicker Test.....	25
8.6 Photographs of Harmonics Test, Voltage Fluctuation and Flicker Test.....	26
9. Electrostatic Discharge Immunity Test (ESD).....	27
9.1 Test Setup.....	27
9.2 Test Setup for Tests Performed in Laboratory.....	28
9.3 ESD Test Procedure.....	29
9.4 Test Severity Levels.....	30
9.5 Test Points.....	31

9.6 Photographs of Electrostatic Discharge Immunity Test	32
10. Radio Frequency Electromagnetic Field Immunity Test (RS).....	33
10.1 Test Setup	33
10.2 Test Procedure	34
10.3 Test Severity Levels	34
10.4 Photographs of Radio Frequency Electromagnetic Field Immunity Test	35
11. Electrical Fast Transient/Burst Immunity Test (EFT/BURST)	36
11.1 Test Setup	36
11.2 Test on Power Line	37
11.3 Test on Communication Lines.....	37
11.4 Test Procedure.....	37
11.5 Test Severity Levels	38
11.6 Photographs of Electrical Fast Transient/Burst Immunity Test	39
12. Surge Immunity Test	41
12.1 Test Record	41
12.2 Test Level	42
12.3 Test Procedure	42
12.4 Operating Condition	43
12.5 Photographs of Surge Immunity Test.....	44
13. Conducted Disturbances Induced by Radio-Frequency Field Immunity Test (CS).....	45
13.1 Test Level.....	45
13.2 Operating Condition	45
13.3 Test Procedure.....	46
13.4 Photographs of CS Test.....	47
14. Power Frequency Magnetic Field immunity tests	48
14.1 Test Record	48
14.2 Test Setup	48
14.3 Photographs of Power Frequency Magnetic Field immunity tests	49
15. Voltage Dips and Voltage Interruption Immunity Tests	50
15.1 Test Record of Voltage Interruption	50
15.2 Test Record of Voltage Dips	50
15.3 Testing Requirement and Procedure	51
15.4 Test Conditions	51
15.5 Operating Condition	51
15.6 Photographs of Voltage Dips and Voltage Interruption Immunity Tests.....	52
16. List of Measuring Equipment Used	53
17. Notice for Class A Product	56
18. Declaration of Conformity and the CE Mark	57
Appendix A. Photographs of EUT.....	A1 ~ A10



CERTIFICATE OF COMPLIANCE

according to

**European Standard EN 55022:1998/A1:2000/A2:2003 Class A,
EN 61000-3-2:2000, EN 61000-3-3:1995/A1:2001 and
EN 55024:1998/A1:2001/A2:2003 (IEC 61000-4-2:1995/A2:2000,
IEC 61000-4-3:2002, IEC 61000-4-4:1995/A2:2001,
IEC 61000-4-5:1995/A1:2000, IEC 61000-4-6:1996/A1:2000,
IEC 61000-4-8:1993/A1:2000, IEC 61000-4-11:1994/A1:2000)**

Equipment : Network Security Platform (Firewall)

Model No. : DFL-200 series, DFL-210 series,
DFL-260 series, DFL-S2 series

Applicant : **D-LINK Corporation**
No. 289, Sinhu 3rd Rd., Neihu District,
Taipei City 114, Taiwan, R.O.C.

HEREBY CERTIFY THAT :

The measurements shown in this test report were made in accordance with the procedures given in **EUROPEAN COUNCIL DIRECTIVE 89/336/EEC**. The equipment was **passed** the test performed according to **European Standard EN 55022:1998/A1:2000/A2:2003 Class A, EN 61000-3-2:2000, EN 61000-3-3:1995/A1:2001, EN 55024:1998/A1:2001/A2:2003 (IEC 61000-4-2:1995/A2:2000, IEC 61000-4-3:1996, IEC 61000-4-4:1995/A2:2001, IEC 61000-4-5:1995/A1:2000, IEC 61000-4-6:1996/A1:2000, IEC 61000-4-8:1993/A1:2000, IEC 61000-4-11:1994/A1:2000)**.

The test was carried out on May 22, 2006 at **SPORTON International Inc. LAB**.


Alex Chen
Manager

SPORTON International Inc.

6F, No. 106, Sec. 1, Hsin Tai Wu Rd., Hsi Chih, Taipei Hsien, Taiwan, R.O.C.

1. General Description of Equipment under Test

1.1 Applicant

D-LINK Corporation
No. 289, Sinhu 3rd Rd., Neihu District,
Taipei City 114, Taiwan, R.O.C.

1.2 Manufacturer

Lanner Electronics Inc.
5F, No. 145, Sec. 2, Ta Tung Rd., Hsi-Chih,
Taipei Hsien, Taiwan, R.O.C.

1.3 Basic Description of Equipment under Test

Equipment : Network Security Platform (Firewall)
Model No. : DFL-200 series, DFL-210 series, DFL-260 series, DFL-S2 series
Trade Name : D-LINK
RJ45 Cable x 3 : Non-Shielded, 10m
RJ45 Cable x 3 : Non-Shielded, 1.0m
RS232 Cable : Shielded, 1.8m
Power Supply Type : Switching
AC Power Input : Wall-mount, 2 pin
DC Power Cable : Non-Shielded, 1.8m, 2 pin

1.4 Feature of Equipment under Test

Please refer to user manual.

2. Test Configuration of Equipment under Test

2.1 Test Manner

- a. During testing, the interface cables and equipment positions were varied according to European Standard EN 55022.
- b. The complete test system included remote workstation and EUT for EMI test. The remote workstation included COMPAQ PC, COMPAQ Monitor, COMPAQ PS/2 Keyboard and COMPAQ PS/2 Mouse.
- c. The following test modes were performed for disturbances at telecommunication ports test:
Mode 1: LAN: 100Mbps
Mode 2: LAN: 10Mbps
- d. The complete test system included remote workstation, DELL Notebook and EUT for EMS test. The remote workstation included DELL Notebook.
- e. Frequency range investigated: conduction 150 KHz to 30 MHz, radiation 30 MHz to 1000MHz.

2.2 Description of Test System

< EMI >

Support Unit 1. -- Personal Computer (COMPAQ) – for remote workstation

FCC ID	: N/A
Model No.	: Evo D380mx
Power Supply Type	: Switching
Power Cord	: Non-Shielded
Serial No.	: SP0036
Remark	: This support device was tested to comply with FCC standards and authorized under a declaration of conformity.

Support Unit 2. -- Monitor (COMPAQ) – for remote workstation

FCC ID	: N/A
Model No.	: S510
Power Supply Type	: Switching
Power Cord	: Non-Shielded
Serial No.	: SP0068
Data Cable	: Shielded, 1.7m
Remark	: This support device was tested to comply with FCC standards and authorized under a declaration of conformity.

Support Unit 3. -- PS/2 Keyboard (COMPAQ) – for remote workstation

FCC ID : N/A
Model No. : 6511-VA
Serial No. : SP0054
Data Cable : Shielded, 360 degree via metal backshells, 1.6m
Remark : This support device was tested to comply with FCC standards and authorized under a declaration of conformity.

Support Unit 4. -- PS/2 Mouse (COMPAQ) – for remote workstation

FCC ID : N/A
Model No. : M-S69
Serial No. : SP0045
Data Cable : Shielded, 1.8m
Remark : This support device was tested to comply with FCC standards and authorized under a declaration of conformity.

< EMS >

Support Unit 1. -- Notebook (DELL) – for local workstation

FCC ID : N/A
Model No. : PP01L
Power Supply Type : Switching
Power Cord : Non-Shielded
Serial No. : SP0036
Remark : This support device was tested to comply with FCC standards and authorized under a declaration of conformity.

Support Unit 2. -- Notebook (DELL) – for remote workstation

FCC ID : N/A
Model No. : D400
Power Supply Type : Switching
Power Cord : Non-Shielded
Serial No. : SP0039
Remark : This support device was tested to comply with FCC standards and authorized under a declaration of conformity.

3. Test Software

< EMI >

During testing, "PING.EXE" was executed to link with the remote workstation to receive and transmit data by RJ45 cables.

< EMS >

During testing, "Network Neighborhood" under WIN XP was executed to link with the remote workstation to receive and transmit data by RJ45 cables.

4. General Information of Test

4.1 Test Facility

<EMI>

Test Site Location : No. 30-2, Lin 6, Diing-Fwu Tsuen, Lin-Kou-Hsiang,
Taipei Hsien, Taiwan, R.O.C.
TEL : 886-2-2601-1640
FAX : 886-2-2601-1695

Test Site No. : CO02-LK, OS05-LK

<EMS>

Test Site Location : No. 52, Hwa Ya 1st Rd., Hwa Ya Technology Park,
Kwei-Shan Hsiag, Tao Yuan Hsien, Taiwan, R.O.C.
TEL : 886-3-327-3456
FAX : 886-3-318-0055

4.2 Test Voltage

230V / 50Hz

4.3 Standard for Methods of Measurement

EMI Test (conduction and radiation) : European Standard EN 55022 Class A
Harmonics Test : European Standard EN 61000-3-2.
Voltage Fluctuations Test : European Standard EN 61000-3-3.
EMS Test : European Standard EN 55024.
(ESD: IEC 61000-4-2, RS: IEC 61000-4-3, EFT: IEC 61000-4-4, SURGE: IEC 61000-4-5,
CS: IEC 61000-4-6, Power Frequency Magnetic Field: IEC 61000-4-8, DIPS: IEC 61000-4-11)

4.4 Test in Compliance with

EMI Test (conduction and radiation) : European Standard EN 55022 Class A
Harmonics Test : European Standard EN 61000-3-2.
Voltage Fluctuations Test : European Standard EN 61000-3-3.
EMS Test : European Standard EN 55024.
(ESD: IEC 61000-4-2, RS: IEC 61000-4-3, EFT: IEC 61000-4-4, SURGE: IEC 61000-4-5,
CS: IEC 61000-4-6, Power Frequency Magnetic Field: IEC 61000-4-8, DIPS: IEC 61000-4-11)

4.5 Frequency Range Investigated

- Conducted emission test: from 150 kHz to 30 MHz
- Radiated emission test: from 30 MHz to 1,000 MHz
- Radio frequency electromagnetic field immunity test : 80-1000 MHz.

4.6 Test Distance

- The test distance of radiated emission test from antenna to EUT is 10 M.
- The test distance of radio frequency electromagnetic field immunity test from antenna to EUT is 3 M.

5. Test of Conducted Powerline

Conducted Emissions were measured from 150 kHz to 30 MHz with a bandwidth of 9 kHz and return leads of the EUT according to the methods defined in European Standard EN 55022 Clause 9. The EUT was placed on a nonmetallic stand in a shielded room 0.8 meters above the ground plane as shown in section 5.3. The interface cables and equipment positioning were varied within limits of reasonable applications to determine the position producing maximum conducted emissions.


5.1 Description of Major Test Instruments

• Test Receiver	(R&S ESCS 30)
Attenuation	10 dB
Start Frequency	0.15 MHz
Stop Frequency	30 MHz
IF Bandwidth	9 kHz


5.2 Test Procedures

- a. The EUT was placed on a desk 0.8 meters height from the metal ground plane and 0.4 meter from the conducting wall of the shielding room and it was kept at least 0.8 meters from any other grounded conducting surface.
- b. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- c. Connect Telecommunication port to ISN (Impedance Stabilization Network)
- d. All the support units are connect to the other LISN.
- e. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- f. The CISPR states that a 50 ohm , 50 microhenry LISN should be used.
- g. Both sides of AC line were checked for maximum conducted interference.
- h. The frequency range from 150 kHz to 30 MHz was searched.
- i. Set the test-receiver system to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

5.3 Typical Test Setup Layout of Conducted Powerline



5.4 Typical Test Setup Layout of Disturbances at Telecommunication Ports




AMN = Artificial mains network
 AE = Associated equipment
 EUT = Equipment under test
 ISN = Impedance stabilization network

- 1) If cables, which hang closer than 40 cm to the horizontal metal groundplane, cannot be shortened to appropriate length, the excess shall be folded back and forth forming a bundle 30 cm to 40 cm long.
- 2) Excess mains cord shall be bundled in the centre or shortened to appropriate length.
- 3) EUT is connected to one artificial mains network (AMN). All AMNs and ISNs may alternatively be connected to a vertical reference plane or metal wall (see figures 5 and 6).
 - a) All other units of a system are powered from a second AMN. A multiple outlet strip can be used for multiple mains cords.
 - b) AMN and ISN are 80 cm from the EUT and at least 80 cm from other units and other metal planes.
 - c) Mains cords and signal cables shall be positioned for their entire lengths, as far as possible, at 40 cm from the vertical reference plane.
- 4) Cables of hand operated devices, such as keyboards, mice, etc. shall be placed as for normal usage.
- 5) Peripherals shall be placed at a distance of 10 cm from each other and from the controller, except for the monitor which, if this is an acceptable installation practice, shall be placed directly on the top of the controller.
- 6) I/O signal cable intended for external connection.
- 7) The end of the I/O signal cables which are not connected to an AE may be terminated, if required, using correct terminating impedance.
- 8) If used, the current probe shall be placed at 0,1 m from the ISN.

5.5 Test Result of AC Powerline Conducted Emission


- Frequency Range of Test : from 0.15 MHz to 30 MHz
- Temperature: 26 °C
- Relative Humidity: 52 %
- All emissions not reported here are more than 10 dB below the prescribed limit.
- Corrected Reading (dBuV) = LISN Factor + Cable Loss + Read Level = Level

The test was passed at the minimum margin that marked by the frame in the following table



Site : CO02-LK
 Condition : CISPR/CNS/VCCI-A(QP) LISN-KNW-407 LINE
 EUT: :
 MODEL: :
 POWER: : 230Vac50Hz
 MEMO: : LAN:100M/100M

	Freq	Level	Over	Limit	Read	Cable	LISN	
	MHz	dBuV	Limit	Line	Level	Loss	Factor	Remark
			dB	dBuV	dBuV	dB	dB	dB
1	0.164	56.12	-22.88	79.00	55.65	0.47	0.00	0.47 QP
2	0.164	42.84	-23.16	66.00	42.37	0.47	0.00	0.47 Average
3	0.233	46.95	-32.05	79.00	46.56	0.39	0.01	0.38 QP
4	0.233	38.09	-27.91	66.00	37.70	0.39	0.01	0.38 Average
5	0.592	45.20	-27.80	73.00	44.92	0.28	0.02	0.26 QP
6	0.592	38.07	-21.93	60.00	37.79	0.28	0.02	0.26 Average
7	1.170	41.55	-31.45	73.00	41.29	0.26	0.06	0.20 QP
8	1.170	35.82	-24.18	60.00	35.56	0.26	0.06	0.20 Average
9	1.730	39.45	-33.55	73.00	39.17	0.28	0.08	0.20 QP
10	1.730	30.02	-29.98	60.00	29.74	0.28	0.08	0.20 Average
11	2.764	39.55	-33.45	73.00	39.28	0.27	0.07	0.20 QP
12	2.764	29.57	-30.43	60.00	29.30	0.27	0.07	0.20 Average



Site : CO02-LK
 Condition : CISPR/CNS/VCCI-A(QP) LISN-KNW-407 NEUTRAL
 EUT: :
 MODEL: :
 POWER: : 230Vac50Hz
 MEMO: : LAN:100M/100M

	Freq	Level	Over Limit	Limit Line	Read Level	Factor	Cable Loss	LISN Factor	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	dB	
1	0.162	54.51	-24.49	79.00	54.14	0.37	0.00	0.37	QP
2	0.162	37.46	-28.54	66.00	37.09	0.37	0.00	0.37	Average
3	0.284	37.56	-41.44	79.00	37.28	0.28	0.03	0.25	QP
4	0.284	30.24	-35.76	66.00	29.96	0.28	0.03	0.25	Average
5	0.553	44.37	-28.63	73.00	44.15	0.22	0.02	0.20	QP
6	0.553	36.63	-23.37	60.00	36.41	0.22	0.02	0.20	Average
7	0.817	42.09	-30.91	73.00	41.86	0.23	0.03	0.20	QP
8	0.817	34.39	-25.61	60.00	34.16	0.23	0.03	0.20	Average
9	1.230	41.79	-31.21	73.00	41.53	0.26	0.06	0.20	QP
10	1.230	29.18	-30.82	60.00	28.92	0.26	0.06	0.20	Average
11	2.170	43.47	-29.53	73.00	43.19	0.28	0.08	0.20	QP
12	2.170	29.76	-30.24	60.00	29.48	0.28	0.08	0.20	Average


Test Engineer : Josh
 Josh Lin

5.6 Test Result of Disturbances at Telecommunication Ports

5.6.1 Test Mode: Mode 1

- Frequency Range of Test : from 150 kHz to 30 MHz
- Temperature: 26
- Relative Humidity: 52 %
- Corrected Reading (dBUV) = LISN Factor + Cable Loss + Read Level = Level
- All emissions not reported here are more than 10 dB below the prescribed limit.

The test was passed at the minimum margin that marked by the frame in the following table



Site : CO02-LK
 Condition : ISN CLASS-A(QP) ISN
 EUT: :
 MODEL: :
 POWER: : 230Vac50Hz
 MEMO: : LAN:100M ISN A


	Freq	Level	Over Limit	Limit Line	Read Level	Cable Factor	LISN Loss	Factor	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	dB	
1	10.244	62.48	-24.52	87.00	52.83	9.65	0.18	9.47	QP
2	10.244	60.30	-13.70	74.00	50.65	9.65	0.18	9.47	Average
3	12.809	62.10	-24.90	87.00	52.44	9.66	0.20	9.46	QP
4	12.809	59.71	-14.29	74.00	50.05	9.66	0.20	9.46	Average
5	17.695	65.01	-21.99	87.00	55.28	9.73	0.28	9.45	QP
6	17.695	63.07	-10.93	74.00	53.34	9.73	0.28	9.45	Average
7	19.711	65.49	-21.51	87.00	55.76	9.73	0.28	9.45	QP
8	19.711	63.74	-10.26	74.00	54.01	9.73	0.28	9.45	Average
9	24.351	66.18	-20.82	87.00	56.41	9.77	0.32	9.45	QP
10	24.351	64.46	-9.54	74.00	54.69	9.77	0.32	9.45	Average
11	28.687	67.80	-19.20	87.00	57.99	9.81	0.37	9.44	QP
12	28.687	65.98	-8.02	74.00	56.17	9.81	0.37	9.44	Average

Test Engineer : Josh
 Josh Lin

5.6.2 Test Mode: Mode 2

- Frequency Range of Test : from 150 kHz to 30 MHz
- Temperature: 26
- Relative Humidity: 52 %
- Corrected Reading (dBuV) = LISN Factor + Cable Loss + Read Level = Level
- All emissions not reported here are more than 10 dB below the prescribed limit.

The test was passed at the minimum margin that marked by the frame in the following table



Site : CO02-LK
 Condition : ISN CLASS-A(QP) ISN
 EUT: :
 MODEL: :
 POWER: : 230Vac50Hz
 MEMO: : LAN:10M ISN A

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Factor	Cable Loss	LISN Factor	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	dB	
1	0.227	47.44	-46.12	93.56	37.87	9.57	0.01	9.56	QP
2	0.227	43.59	-36.97	80.56	34.02	9.57	0.01	9.56	Average
3	0.300	45.89	-45.35	91.24	36.30	9.59	0.04	9.55	QP
4	0.300	43.19	-35.05	78.24	33.60	9.59	0.04	9.55	Average
5	0.839	47.27	-39.73	87.00	37.73	9.54	0.03	9.51	QP
6	0.839	46.28	-27.72	74.00	36.74	9.54	0.03	9.51	Average
7	1.680	47.13	-39.87	87.00	37.56	9.57	0.08	9.49	QP
8	1.680	45.92	-28.08	74.00	36.35	9.57	0.08	9.49	Average
9	2.521	45.53	-41.47	87.00	35.96	9.57	0.08	9.49	QP
10	2.521	44.57	-29.43	74.00	35.00	9.57	0.08	9.49	Average
11	14.590	29.70	-57.30	87.00	20.00	9.70	0.24	9.46	QP
12	14.590	23.90	-50.10	74.00	14.20	9.70	0.24	9.46	Average

Test Engineer : Josh
 Josh Lin

5.7 Photographs of Conducted Powerline Test Configuration

- The photographs show the configuration that generates the maximum emission.

FRONT VIEW



REAR VIEW



6. Test of Radiated Emission

Radiated emissions from 30 MHz to 1000 MHz were measured with a bandwidth of 120 kHz according to the methods defines in European Standard EN 55022, Clause 10. The EUT was placed on a nonmetallic stand, 0.8 meter above the ground plane, as shown in section 6.3. The interface cables and equipment positions were varied within limits of reasonable applications to determine the positions producing maximum radiated emissions.

6.1 Description of Major Test Instruments

- Amplifier (HP 8447D)
 - RF Gain 25 dB
 - Signal Input 0.1 MHz - 1.3 GHz


- Spectrum Analyzer (ADVANTEST R3261C)
 - Attenuation 10 dB
 - Start Frequency 30 MHz
 - Stop Frequency 1000 MHz
 - Resolution Bandwidth 120 kHz
 - Signal Input 9 kHz - 2.6 GHz

- Test Receiver (R&S ESCS 30)
 - Resolution Bandwidth 120 kHz
 - Frequency Band 9 kHz - 2.75 GHz
 - Quasi-Peak Detector ON for Quasi-Peak Mode
OFF for Peak Mode

6.2 Test Procedures

- a. The EUT was placed on a rotatable table top 0.8 meter above ground.
- b. The EUT was set 10 meters from the interference-receiving antenna which was mounted on the top of a variable height antenna tower.
- c. The table was rotated 360 degrees to determine the position of the highest radiation.
- d. The antenna is a half wave dipole and its height is varied between one meter and four meters above ground to find the maximum value of the field strength both horizontal polarization and vertical polarization of the antenna are set to make the measurement.
- e. For each suspected emission the EUT was arranged to its worst case and then tune the antenna tower (from 1 M to 4 M) and turn table (from 0 degree to 360 degrees) to find the maximum reading.
- f. Set the test-receiver system to Peak Detect Function and specified bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 3 dB lower than the limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method and reported.


6.3 Typical Test Setup Layout of Radiated Emission



6.4 Test Result of Radiated Emission


- Frequency Range of Test: from 30 MHz to 1,000 MHz
- Temperature: 25
- Relative Humidity: 61 %
- Emission level (dBUV/m) = 20 log Emission level (uV/m)
- Corrected Reading : Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level

The test was passed at the minimum margin that marked by the frame in the following test record




Site : OS05_LK
 Condition : CNS/VCCI/CISPR-A 10m SCHAFFNER_CBL6112D HORIZONTAL
 EUT :
 MODEL :
 POWER : 230VAC
 MEMO : LAN : 100 Mbps

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg
1	40.210	29.76	-10.24	40.00	45.25	10.98	0.93	27.40	Peak	---	---
2	61.360	31.50	-8.50	40.00	51.85	6.03	1.00	27.38	Peak	---	---
3	71.320	32.95	-7.05	40.00	53.46	5.74	1.11	27.36	Peak	---	---
4	125.000	30.36	-9.64	40.00	43.82	12.12	1.60	27.18	Peak	---	---
5	133.540	31.51	-8.49	40.00	45.44	11.60	1.60	27.13	Peak	---	---
6	166.540	31.15	-8.85	40.00	47.03	9.41	1.68	26.97	Peak	---	---
7	176.550	29.78	-10.22	40.00	46.05	8.89	1.76	26.92	Peak	---	---
8	200.000	30.69	-9.31	40.00	46.26	9.33	1.90	26.80	Peak	---	---




Site : OS05_LK
 Condition : CNS/VCCI/CISPR-A 10m SCHAFFNER_CBL6112D HORIZONTAL
 EUT :
 MODEL :
 POWER : 230VAC
 MEMO : LAN : 100 Mbps

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg
1	204.000	30.74	-9.26	40.00	45.28	9.57	2.68	26.79	Peak	---	---
2	226.400	26.38	-13.62	40.00	36.19	10.94	6.00	26.75	Peak	---	---
3	256.800	29.08	-17.92	47.00	37.36	12.41	6.00	26.69	Peak	---	---
4	300.000	25.91	-21.09	47.00	36.16	12.25	4.10	26.60	Peak	---	---
5	357.600	25.89	-21.11	47.00	35.37	14.52	3.01	27.01	Peak	---	---
6	366.600	25.79	-21.21	47.00	34.97	14.86	3.03	27.07	Peak	---	---
7	456.000	24.63	-22.37	47.00	31.96	17.04	3.21	27.58	Peak	---	---
8	500.000	31.81	-15.19	47.00	38.56	17.75	3.30	27.80	Peak	---	---
9	622.500	27.54	-19.46	47.00	32.56	19.11	3.90	28.03	Peak	---	---
10	750.000	28.60	-18.40	47.00	31.96	19.94	4.45	27.75	Peak	---	---



Site : OS05_LK
 Condition : CNS/VCCI/CISPR-A 10m SCHAFFNER_CBL6112D VERTICAL
 EUT :
 MODEL :
 POWER : 230VAC
 MEMO : LAN : 100 Mbps

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Remark	Ant	Table
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor		Pos	Pos
			dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg
1	32.640	27.20	-12.80	40.00	38.01	15.75	0.84	27.40	Peak	---	---
2	54.010	27.91	-12.09	40.00	46.83	7.47	1.01	27.40	Peak	---	---
3	120.000	30.72	-9.28	40.00	44.16	12.28	1.48	27.20	Peak	---	---
4	133.640	29.12	-10.88	40.00	43.09	11.60	1.56	27.13	Peak	---	---
5	144.010	28.04	-11.96	40.00	42.47	10.91	1.74	27.08	Peak	---	---
6	150.000	28.17	-11.83	40.00	43.08	10.34	1.79	27.04	Peak	---	---
7	200.000	33.79	-6.21	40.00	49.29	9.30	2.00	26.80	Peak	100	100



Site : OS05_LK
 Condition : CNS/VCCI/CISPR-A 10m SCHAFFNER_CBL6112D VERTICAL
 EUT :
 MODEL :
 POWER : 230VAC
 MEMO : LAN : 100 Mbps

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg
1	205.000	25.06	-14.94	40.00	40.16	9.69	2.00	26.79	Peak	---	---
2	236.000	31.80	-15.20	47.00	44.76	11.60	2.17	26.73	Peak	---	---
3	308.800	21.38	-25.62	47.00	32.98	12.59	2.47	26.66	Peak	---	---
4	365.600	34.19	-12.81	47.00	43.57	14.82	2.86	27.06	Peak	---	---
5	402.400	31.86	-15.14	47.00	39.95	16.20	3.02	27.31	Peak	---	---
6	434.400	32.03	-14.97	47.00	39.56	16.70	3.24	27.47	Peak	---	---
7	456.800	32.80	-14.20	47.00	39.95	17.06	3.37	27.58	Peak	---	---
8	675.000	27.26	-19.74	47.00	31.16	19.43	4.55	27.88	Peak	---	---
9	738.400	25.81	-21.19	47.00	28.96	19.85	4.76	27.76	Peak	---	---
10	906.000	27.28	-19.72	47.00	28.96	20.74	4.97	27.39	Peak	---	---
11	985.500	29.74	-17.26	47.00	30.56	20.56	5.85	27.23	Peak	---	---

Test Engineer : Neil
 Neil Huang

6.5 Photographs of Radiated Emission Test Configuration

- The photographs show the configuration that generates the maximum emission.

FRONT VIEW



REAR VIEW



7. Harmonics Test

As specified on clause 7 and figure Z1 of EN 61000-3-2:2000, the limits are not specified for equipment with a rated power of 75W or less.

The EUT meets the above condition, so it conforms to EN 61000-3-2.

8. Voltage Fluctuations Test

8.1 Standard

- Standard : EN 61000-3-3:1995/A1:2001

8.2 Test Procedure


The equipment shall be tested under the conditions of **Clause 5**.

The total impedance of the test circuit, excluding the appliance under test, but including the internal impedance of the supply source, shall be equal to the reference impedance. The stability and tolerance of the reference impedance shall be adequate to ensure that the overall accuracy of $\pm 8\%$ is achieved during the whole assessment procedure.

8.3 Test Equipment Settings

- Line Voltage : 230 V
- Line Frequency : 50 Hz
- Measurement Delay : 10.0 seconds
- Pst Integration Time : 10 minutes
- Pst Integration Periods : 1
- Test Duration : 00:10:00 minutes

8.4 Test Setup



8.6 Photographs of Harmonics Test, Voltage Fluctuation and Flicker Test

FRONT VIEW




REAR VIEW



9. Electrostatic Discharge Immunity Test (ESD)

- FINAL TEST RESULT : **PASS**
- Pass Performance Criteria : A
- Required Performance Criteria : B
- Basic Standard : IEC 61000-4-2:1995/A2:2000
- Product Standard : EN 55024:1998/A1:2001/A2:2003
- Level : 3 for air discharge
: 2 for contact discharge
- Test Voltage : $\pm 2 / \pm 4 / \pm 8$ KV for air discharge
: $\pm 2 / \pm 4$ KV for contact discharge
- Temperature : 25
- Relative Humidity : 54 %
- Atmospheric Pressure : 99 kPa
- Test Date : May 22, 2006
- Observation : Normal

9.1 Test Setup



The test setup consists of the test generator, EUT and auxiliary instrumentation necessary to perform DIRECT and INDIRECT application of discharges to the EUT as applicable, in the following manner :

- a. CONTACT DISCHARGE to the conductive surfaces and to coupling plane;
- b. AIR DISCHARGE at insulating surfaces.

The preferred test method is that of type tests performed in laboratories and the only accepted method of demonstrating conformance with this standard. The EUT was arranged as closely as possible to arrangement in final installed conditions.

9.2 Test Setup for Tests Performed in Laboratory

A ground reference plane was provided on the floor of the test site. It was a metallic sheet (copper or aluminum) of 0.25 mm, minimum thickness; other metallic may be used but they shall have at least 0.65 mm thickness. In the SPORTON EMC LAB., we provided 1 mm thickness aluminum ground reference plane or 1 mm thickness stainless steel ground reference plane. The minimum size of the ground reference plane is 1 m x 1 m, the exact size depending on the dimensions of the EUT. It was connected to the protective grounding system.

The EUT was arranged and connected according to its functional requirements. A distance of 1m minimum was provided between the EUT and the wall of the lab. and any other metallic structure. In cases where this length exceeds the length necessary to apply the discharges to the selected points, the excess length shall, where possible, be placed non-inductively off the ground reference plane and shall not come closer than 0.2m to other conductive parts in the test setup.

Where the EUT is installed on a metal table, the table was connected to the reference plane via a cable with a 470k ohm resistor located at each end, to prevent a build-up of charge. The test setup was consist a wooden table, 0.8m high, standing on the ground reference plane. A HCP, 1.6 m x 0.8 m, was placed on the table. The EUT and cables was isolated from the HCP by an insulating support 0.5 mm thick. The VCP size, 0.5 m x 0.5 m.

9.3 ESD Test Procedure

- a. In the case of air discharge testing the climatic conditions shall be within the following ranges:
 - ambient temperature: 15 to 35 ;
 - relative humidity : 30% to 60%;
 - atmospheric pressure : 86 kPa (860 mbar) to 106 kPa (1060 mbar).
- b. Test programs and software shall be chosen so as to exercise all normal modes of operation of the EUT. The use of special exercising software is encouraged, but permitted only where it can be shown that the EUT is being comprehensively exercised.
- c. The test voltage shall be increased from the minimum to the selected test severity level, in order to determine any threshold of failure. The final severity level should not exceed the product specification value in order to avoid damage to the equipment.
- d. The test shall be performed with both air discharge and contact discharge. On preselected points at least 10 single discharges (in the most sensitive polarity) shall be applied on air discharge. On preselected points at least 25 single discharges (in the most sensitive polarity) shall be applied on contact discharge.
- e. For the time interval between successive single discharges an initial value of one second is recommended. Longer intervals may be necessary to determine whether a system failure has occurred.
- f. In the case of contact discharges, the tip of the discharge electrode shall touch the EUT before the discharge switch is operated.
- g. In the case of painted surface covering a conducting substrate, the following procedure shall be adopted :
 - If the coating is not declared to be an insulating coating by the equipment manufacturer, then the pointed tip of the generator shall penetrate the coating so as to make contact with the conducting substrate.
 - Coating declared as insulating by the manufacturer shall only be submitted to the air discharge.
 - The contact discharge test shall not be applied to such surfaces.
- h. In the case of air discharges, the round discharge tip of the discharge electrode shall be approached as fast as possible (without causing mechanical damage) to touch the EUT . After each discharge, the ESD generator (discharge electrode) shall be removed from the EUT. The generator is then retriggered for a new single discharge. This procedure shall be repeated until the discharges are completed. In the case of an air discharge test, the discharge switch, which is used for contact discharge, shall be closed.

9.4 Test Severity Levels

9.4.1 Contact Discharge

Level	Test Voltage (KV) of Contact discharge
1	± 2
2	± 4
3	± 6
4	± 8
X	Specified

Remark : "X" is an open level.

9.4.2 Air Discharge

Level	Test Voltage (KV) of Air Discharge
1	± 2
2	± 4
3	± 8
4	± 15
X	Specified

Remark : "X" is an open level.

9.5 Test Points

9.5.1 Test Result of Air Discharge

Test Point	Voltage	Tested No.
CASE	$\pm 2 / \pm 4 / \pm 8KV$	BY 10
LED	$\pm 2 / \pm 4 / \pm 8KV$	BY 10

9.5.2 Test Result of Contact Discharge

Test Point	Voltage	Tested No.
HCP (At Front)	$\pm 2 / \pm 4 KV$	BY 25
HCP (At Left)	$\pm 2 / \pm 4 KV$	BY 25
HCP (At Right)	$\pm 2 / \pm 4 KV$	BY 25
HCP (At Rear)	$\pm 2 / \pm 4 KV$	BY 25
VCP (At Front)	$\pm 2 / \pm 4 KV$	BY 25
VCP (At Left)	$\pm 2 / \pm 4 KV$	BY 25
VCP (At Right)	$\pm 2 / \pm 4 KV$	BY 25
VCP (At Rear)	$\pm 2 / \pm 4 KV$	BY 25
SCREW	$\pm 2 / \pm 4 KV$	BY 25
COM PORT	$\pm 2 / \pm 4 KV$	BY 25
DC INPUT JACK	$\pm 2 / \pm 4 KV$	BY 25
RJ45 PORT	$\pm 2 / \pm 4 KV$	BY 25

Test Engineer : *Kero*
 Kero Kao

9.6 Photographs of Electrostatic Discharge Immunity Test

FRONT VIEW




REAR VIEW



10. Radio Frequency Electromagnetic Field Immunity Test (RS)

- FINAL TEST RESULT : **PASS**
- Pass Performance Criteria : A
- Required Performance Criteria : A
- Basic Standard : IEC 61000-4-3:1996
- Product Standard : EN 55024:1998/A1:2001/A2:2003
- Level : 2
- Frequency Range : 80-1000 MHz
- Field Strength : 3 V/m (Modulated 80% AM at 1kHz)
- Temperature : 26
- Relative Humidity : 56 %
- Atmospheric Pressure : 99 kPa
- Test Date : May 22, 2006
- Observation : Normal

10.1 Test Setup



NOTE : The SPORTON 7m x 4m x 4m semichoice chamber is compliance with the sixteen points uniform field requirement as stated in IEC 1000-4-3 Section 6.2.

The procedure defined in this part requires the generation of electromagnetic fields within which the test sample is placed and its operation observed. To generate fields that are useful for simulation of actual (field) conditions may require significant antenna drive power and the resultant high field strength levels. To comply with local regulations and to prevent biological hazards to the testing personnel, it is recommended that these tests be carried out in a shielded enclosure or semichoice chamber.

10.2 Test Procedure

- a. The equipment to be tested is placed in the center of the enclosure on a wooden table. The equipment is then connected to power and signal leads according to pertinent installation instructions.
- b. The bilog antenna which is enabling the complete frequency range of 80-1000 MHz is placed 3m away from the equipment. The required field strength is determined by placing the field strength meter(s) on top of or directly alongside the equipment under test and monitoring the field strength meter via a remote field strength indicator outside the enclosure while adjusting the continuous-wave to the applicable antennae.
- c. The test is normally performed with the generating antenna facing each of four sides of the EUT. The polarization of the field generated by the broadband (bilog) antenna necessitates testing each position twice, once with the antenna positioned vertically and again with the antenna positioned horizontally.
- d. At each of the above conditions, the frequency range is swept 80-1000 MHz, pausing to adjust the R.F. signal level or to switch oscillators and antenna. The rate of sweep is in the order of $1.5 \cdot 10^{-3}$ decades/s. The sensitive frequencies or frequencies of dominant interest may be discretely analyzed.

10.3 Test Severity Levels

Frequency Band : 80-1000 MHz


Level	Test field strength (V/m)
1	1
2	3
3	10
X	Specified

Remark : "X" is an open class.

Test Engineer : 
Kero Kao

10.4 Photographs of Radio Frequency Electromagnetic Field Immunity Test

FRONT VIEW




REAR VIEW



11. Electrical Fast Transient/Burst Immunity Test (EFT/BURST)

- FINAL TEST RESULT : **PASS**
- Pass Performance Criteria : A
- Required Performance Criteria : B
- Basic Standard : IEC 61000-4-4:1995/A2:2001
- Product Standard : EN 55024:1998/A1:2001/A2:2003
- Level : on Power Supply -- 2
: on I/O signal, data and control line -- 2
- Test Voltage : on Power Supply -- $\pm 0.5 / \pm 1.0$ KV
: on I/O signal, data and control line -- $\pm 0.25 / \pm 0.5$ KV
- Temperature : 25
- Relative Humidity : 55 %
- Atmospheric Pressure : 99 kPa
- Test Date : May 22, 2006
- Observation : Normal

11.1 Test Setup



The EUT was placed on a ground reference plane and was insulated from it by an insulating support about 0.1m thick. If the EUT is table-top equipment, it was located approximately 0.8m above the GRP.. The GRP. was a metallic sheet (copper or aluminum) of 0.25 mm ,minimum thickness; other metallic may be used but they shall have at least 0.65 mm thickness. It shall project beyond the EUT by at least 0.1m on all sides and connected to the protective earth. In the SPORTON EMC LAB. we provided 1 mm thickness aluminum ground reference plane or 1 mm thickness stainless steel ground reference plane. The minimum size of the ground reference plane is 1 m x 1 m, the exact size depending on the dimensions of the EUT. It was connected to the protective grounding system. The EUT was arranged and connected according to its functional requirements. The minimum distance between the EUT and other conductive structures, except the GRP. beneath the EUT, was more than 0.5 m. Using the coupling clamp, the minimum distance between the coupling plates and all other conductive structures, except the GRP. beneath the EUT, was more than 0.5 m. The length of the signal and power lines between the coupling device and the EUT was 1m or less.

11.2 Test on Power Line

- a. The EFT/B-generator was located on the GRP.. The length from the EFT/B-generator to the EUT as not exceed 1 m.
- b. The EFT/B-generator provides the ability to apply the test voltage in a non-symmetrical condition to the power supply input terminals of the EUT.

11.3 Test on Communication Lines

- a. The coupling clamp is composed of a clamp unit for housing the cable (length more than 3 m), and was placed on the GRP..
- b. The coupling clamp provides the ability of coupling the fast transient/bursts to the cable under test.

11.4 Test Procedure

- a. In order to minimize the effect of environmental parameters on test results, the climatic conditions when test is carrying out shall comply with the following requirements:
 - ambient temperature: 15 to 35 ;
 - relative humidity : 45% to 75%;
 - atmospheric pressure : 86 kPa (860 mbar) to 106 kPa (1060 mbar).
- b. In order to minimize the effect of environmental parameters on test results, the electromagnetic environment of the laboratory shall not influence the test results.
- c. The variety and diversity of equipment and systems to be tested make it difficult to establish general criteria for the evaluation of the effects of fast transients/bursts on equipment and systems.
- d. The test results may be classified on the basic of the operating conditions and the functional specification of the equipment under test, according to the following performance criteria :
 - Normal performance within the specification limits.
 - Temporary degradation or loss of function or performance which is self-recoverable.
 - Temporary degradation or loss of function or performance which requires operator intervention or system reset.
 - Degradation or loss of function which is not recoverable due to damage of equipment (components).

11.5 Test Severity Levels

The following test severity levels are recommended for the fast transient/burst test :

Open circuit output test voltage \pm 10%		
Level	On Power Supply	On I/O signal, data and control line
1	0.5 KV	0.25 KV
2	1.0 KV	0.50 KV
3	2.0 KV	1.00 KV
4	4.0 KV	2.00 KV
X	Specified	Specified

Remark : " X " is an open level. The level is subject to negotiation between the user and the manufacturer or is specified by the manufacturer.

Test Engineer : _____

Kero Kao

11.6 Photographs of Electrical Fast Transient/Burst Immunity Test


FRONT VIEW



REAR VIEW



CLAMP



12. Surge Immunity Test

- FINAL TEST RESULT : **PASS**
- Pass Performance Criteria : A
- Required Performance Criteria : B
- Basic Standard : IEC 61000-4-5:1995/A1:2000
- Product Standard : EN 55024:1998/A1:2001/A2:2003
- Surge Wave Form (Tr/Th) : 1, 2/50 (8/20) μ s
- Level : 2
- Test Voltage : $\pm 0.5 / \pm 1.0$ KV
- Temperature : 26
- Relative Humidity : 55 %
- Atmospheric Pressure : 99 kPa
- Test Date : May 22, 2006
- Observation : Normal
- Remark : The test on RJ45 port is not required due to the normal functioning cannot be achieved because of the impact of the CDN on the EUT.

12.1 Test Record

Voltage (KV)	Test Location	Polarity	Phase Angle				Test Result
			0°	90°	180°	270°	
1.0 KV	L - N	+	A	A	A	A	<u>PASS</u>
		-	A	A	A	A	<u>PASS</u>

⊕ Remark : PE = Earth reference

12.2 Test Level

Level	Open-circuit test voltage, $\pm 10\%$, KV
1	0.5
2	1.0
3	2.0
4	4.0
x	Specified

NOTE - x is an open class.
This level can be specified in the product specification.

12.3 Test Procedure

a. Climatic conditions

The climatic conditions shall comply with the following requirements :

- ambient temperature : 15 to 35
- relative humidity : 10 % to 75 %
- atmospheric pressure : 86 kPa to 106 kPa (860 mbar to 1060 mbar)

b. Electromagnetic conditions

The electromagnetic environment of the laboratory shall not influence the test results.

c. The test shall be performed according the test plan that shall specify the test set-up with


- generator and other equipment utilized;
- test level (voltage/current);
- generator source impedance;
- internal or external generator trigger;
- number of tests : at least five positive and five negative at the selected points;
- repetition rate : maximum 1/min.
- inputs and outputs to be tested;
- representative operating conditions of the EUT;
- sequence of application of the surge to the circuit;
- phase angle in the case of a.c. power supply;
- actual installation conditions, for example :
 - AC : neutral earthed,
 - DC : (+) or (-) earthed to simulated the actual earthing conditions.



- d. If not otherwise specified the surges have to be applied synchronized to the voltage phase at the zero-crossing and the peak value of the a.c. voltage wave (positive and negative).
- e. The surges have to be applied line to line and line(s) and earth. When testing line to earth, the test voltage has to be applied successively between each of the lines and earth, if there is no other specification.
- f. The test procedure shall also consider the non-linear current-voltage characteristics of the equipment under test. Therefore the test voltage has to be increased by steps up to the test level specified in the product standard or test plan.
- g. All lower levels including the selected test level shall be satisfied. For testing the secondary protection, the output voltage of the generator shall be increased up to the worstcase voltage breakdown level (let-through level) of the primary protection.
- h. If the actual operating signal sources are not available, they may be simulated. Under no circumstances may the test level exceed the product specification. The test shall be carried out according to the test plan.
- i. To find all critical points of the duty cycle of the equipment, a sufficient number of positive and negative test pulses shall be applied. For acceptance test a previously unstressed equipment shall be used to the protection devices shall be replaced.

12.4 Operating Condition

Full system

Test Engineer : 
Kero Kao

12.5 Photographs of Surge Immunity Test

FRONT VIEW



REAR VIEW



13. Conducted Disturbances Induced by Radio-Frequency Field Immunity Test (CS)

- FINAL TEST RESULT : **PASS**
- Pass Performance Criteria : A
- Required Performance Criteria : A
- Basic Standard : IEC 61000-4-6:1996/A1:2000
- Product Standard : EN 55024:1998/A1:2001/A2:2003
- Level : 2
- Test Voltage : 3 V/rms (Modulated, 1KHz, 80%, AM)
- Frequency Range : 0.15 MHz to 80 MHz
- Test Port : on AC Power and Telecommunication Ports
- Dwell Time : 2.9 seconds
- Frequency Step Size : 1 %
- Coupling Mode : CDN-M16 SW M2 for AC power ports,
RJ45 for Telecommunication Ports
- Temperature : 25
- Relative Humidity : 56 %
- Atmospheric Pressure : 99 kPa
- Test Date : May 22, 2006
- Observation : Normal

13.1 Test Level


Level	Voltage Level (EMF),
1	1 V
2	3 V
3	10 V
x	Specified
NOTE - x is an open class. This level can be specified in the product specification.	

13.2 Operating Condition

Full system

13.3 Test Procedure

- a. The EUT shall be operated within its intended climatic conditions. The temperature and relative humidity should be recorded.
- b. This test method test can be performed without using a sell shielded enclosure. This is because the disturbance levels applied and the geometry of the setups are not likely to radiated a high amount of energy, especially at the lower frequencies. If under certain circumstances the radiated energy is too high, a shielded enclosure has to be used.
- c. The test shall be performed with the test generator connected to each of the coupling and decoupling devices in turn while the other non-excited RF-input ports of the coupling devices are terminated by a 50 ohm load resistor.
- d. The frequency range is swept from 150 KHz to 80 MHz, using the signal levels established during the setting process, and with the disturbance signal 80% amplitude modulated with a 1KHz sinewave, pausing to adjust the RF-signal level or to switch coupling devices as necessary. The rate of sweep shall no exceed 1.5×10^{-3} decades/s. Where the frequency is swept incrementally, the step size shall no exceed 1% of the start and thereafter 1% of the preceding frequency value.
- e. The dwell time at each frequency shall not be less than the time necessary for the EUT to be exercised, and able to respond. Sensitive frequencies e.g. clock frequency(ies) and harmonics or frequencies of dominant interest shall be analyzed separately.
- f. An alternative test procedure may be adopted, wherein the frequency range is swept incrementally, with a step size not exceeding 4% of the start ad thereafter 4% of the preceding frequency value. The test level should be at least twice the value of the specified test level.
- g. In cases of dispute, the test procedure using a step size not exceeding 1% of the start and thereafter 1% of preceding frequency value shall take precedence.
- h. Attempts should be made to fully exercise the EUT during testing, and to fully interrogate all exercise modes selected for susceptibility.
- i. The use of special exercising programs is recommended.
- j. Testing shall be performed according to a Test Plan, which shall be included in the test report.
- k. It may be necessary to carry out some investigatory testing in order to establish some aspects of the test plan.


Test Engineer : 
Kero Kao

13.4 Photographs of CS Test

FRONT VIEW



REAR VIEW




14. Power Frequency Magnetic Field immunity tests

- FINAL TEST RESULT : **PASS**
- Pass Performance Criteria : A
- Required Performance Criteria : A
- Basic Standard : IEC 61000-4-8:1993/A1:2000
- Product Standard : EN 55024:1998/A1:2001/A2:2003
- Temperature : 25
- Relative Humidity : 57 %
- Atmospheric Pressure : 99 kPa
- Test Date : May 22, 2006
- Observation : Normal

14.1 Test Record

Power Frequency Magnetic Field	Testing duration	Coil Orientation	Results	Remark
50Hz, 1A/m	1.0 Min	X-axis	Pass	Normal
50Hz, 1A/m	1.0 Min	Y-axis	Pass	Normal
50Hz, 1A/m	1.0 Min	Z-axis	Pass	Normal

14.2 Test Setup



- | | |
|----------------------------|---------------------------------|
| GRP : Ground plane | C1 : Power supply circuit |
| A : Safety earth | C2 : Signal circuit |
| S : Insulating support | L : Communication line |
| EUT : Equipment under test | B : To power supply source |
| Lc : Induction coil | D : To signal source, simulator |
| E : Earth terminal | G : To the test generator |

Test Engineer : Kero
Kero Kao

14.3 Photographs of Power Frequency Magnetic Field immunity tests

FRONT VIEW



REAR VIEW





15. Voltage Dips and Voltage Interruption Immunity Tests

- FINAL TEST RESULT : **PASS**
- Pass Performance Criteria : C for voltage interruption, A for voltage dips
- Required Performance Criteria : C for voltage interruption, B/C for voltage dips
- Basic Standard : IEC 61000-4-11:1994/A1:2000
- Product Standard : EN 55024:1998/A1:2001/A2:2003
- Temperature : 25
- Relative Humidity : 55 %
- Atmospheric Pressure : 99 kPa
- Test Date : May 22, 2006
- Observation : Normal

15.1 Test Record of Voltage Interruption

Voltage (V)	Phase Angle		% Reduction	Duration (periods)	Observation
	0 °	180 °			
230	C	C	>95%	250	After the interruption, the power of EUT reset automatically.

15.2 Test Record of Voltage Dips

Voltage (V)	Phase Angle		% Reduction	Duration (periods)	Observation
	0 °	180 °			
230	A	A	30	25	Normal
230	A	A	>95 %	0.5	Normal

15.3 Testing Requirement and Procedure

The test was based on IEC 61000-4-11:1994/A1:2000

15.4 Test Conditions

1. Source voltage and frequency : 230V / 50Hz, Single phase.
2. Test of interval : 10 sec.
3. Level and duration : Sequency of 3 dips/interrupts.
4. Voltage rise (and fall) time : 1 ~ 5 μ s.
5. Test severity :

Voltage dip and Interrupt reduction (%)	Test Duration (ms)
30	500
60	100
100	10
100	80
100	5000

15.5 Operating Condition

Full system

Test Engineer : _____

Kero

Kero Kao

15.6 Photographs of Voltage Dips and Voltage Interruption Immunity Tests

FRONT VIEW



REAR VIEW



16. List of Measuring Equipment Used

< EMI >

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Remark
Receiver	R&S	ESCS 30	100168	9 kHz - 2.75 GHz	Dec. 16, 2005	Conduction (CO02-LK)
LISN	Kyoritsu	KNW-407	8-693-10	9 kHz - 30 MHz	Nov. 25, 2005	Conduction (CO02-LK)
LISN	Rolf Heine	NNB-2/16Z	02/10070	9 kHz - 30 MHz	Nov. 02, 2005	Conduction (CO02-LK)
RF Cable-CON	Suhner Switzerland	RG223/U	CB018	9 kHz - 30 MHz	Jan. 27, 2006	Conduction (CO02-LK)
Impedance Stabilization Network	SCHAFFNER	T400	16008	150 kHz - 230 MHz	May 30, 2005	Conduction (Telecommunication port)
Open Area Test Site	SPORTON	OATS-10	OS05-LK	30 MHz - 1 GHz 10m, 3m	Aug. 08, 2005	Radiation (OS05-LK)
Amplifier	HP	8447D	2944A08290	0.1 MHz - 1.3 GHz	Feb. 25, 2006	Radiation (OS05-LK)
Spectrum Analyzer	HP	8591EM	3710A01187	9 kHz - 2.6 GHz	Oct. 04, 2005	Radiation (OS05-LK)
Receiver	R&S	ESCS 30	847793/003	9 kHz - 2.75 GHz	Aug. 11, 2005	Radiation (OS05-LK)
Bilog Antenna	SCHAFFNER	CBL6112D	22236	30 MHz - 2 GHz	Mar. 27, 2006	Radiation (OS05-LK)
Antenna Mast	EMCO	2075	9806-2160	1m - 4m	N/A	Radiation (OS05-LK)
Turn Table	EMCO	2080	9806-2070	0° - 360°	N/A	Radiation (OS05-LK)
RF Cable-R10m	BELDEN	RG8/U	CB013	30 MHz - 1 GHz	Jul. 25, 2005	Radiation (OS05-LK)
RF Cable-R03m	BELDEN	RG8/U	CB014	30 Hz - 1 GHz	Jul. 25, 2005	Radiation (OS05-LK)

Calibration Interval of instruments listed above is one year.

< EMS >

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Remark
ESD Simulator	KEYTEK	MZ-15/EC	9503213	Air: 0 kV - 15 kV Contact: 0 kV - 8 kV	Jun. 14, 2005	ESD
Antenna	FRANKONIA	BTA-L	02002L	26 MHz - 1 GHz	Nov. 01, 2005	RS
Field Strength Monitoring Antennas (Probe)	AR	FP3000A	16077	0.1 MHz - 1 GHz	Aug. 26, 2005	RS
RS immunity Test system	HP	EMS test System	2062	80 MHz - 1 GHz 3V/m, 10v/m	Nov. 23, 2005	RS
Amplifier	AR	100W 1000M3	16060	80 MHz - 1 GHz	Nov. 23, 2005	RS
Power Meter	EMC Automation	438A	3513U04050	100 kHz - 4.2 GHz	Nov. 23, 2005	RS
Signal Generator	HP	8648A	3426A00771	100 kHz - 1 GHz	Nov. 23, 2005	RS
Power Sensor	HP	8481D	3318A13140	100 kHz - 1 GHz	Nov. 23, 2005	RS
Power Sensor	HP	8482A	3318A26464	100 kHz - 1 GHz	Nov. 23, 2005	RS
Attenuator	HP	8491A	53603	100 kHz - 1 GHz	Nov. 23, 2005	RS
EFT Generator	EMC -PARTNER	TRANSIENT -2000	TRA2000-376	0 kV - 4.4 kV	May 10, 2006	EFT
EFT/Clamp	EMC -PARTNER	CH4242	CNEFT1000 -200	0 kV - 1 kV	N/A	EFT
SURGE Generator	EMC -PARTNER	TRANSIENT -2000	TRA2000-376	0 kV - 6 kV/2 0 kV - 500 kV/12	May 10, 2006	SURGE
SURGE/CDN	EMC -PARTNER	DN-T1+CN-T1	CDNKIT1000T-22	0.5 kV - 2 kV	N/A	SURGE
Conducted Immunity Test System	FRANKONIA	CIT-10/75	1999010443	100 kHz - 266 MHz	Apr. 04, 2006	CS
Conducted Immunity Test System Amplifier	A.R	75A220	16980	15 - 230 MHz FM 1 kHz 80 % 75W	Apr. 21, 2006	CS
Coupling and Decoupling Network	SCHAFFNER	CDN M016	16672	150 kHz - 230 MHz	Apr. 18, 2006	CS
Coupling and Decoupling Network	FRANKONIA	CDN RJ45	A3023001	150 kHz - 230 MHz	Apr. 18, 2006	CS

Calibration Interval of instruments listed above is one year.



Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Remark
Magnetic field Immunity Loop	FCC (KEYTEK)	F-1000-4-8/9/10-L-1M	03004	30A//CONTINUOUS 100A/2Hrs 230A/30SEC	Aug. 03, 2005	PFMF
Magnetic Generator	FCC (KEYTEK)	F-1000-4-8-G--125A	9830	30A//CONTINUOUS 100A/2Hrs 230A/30SEC	Aug. 03, 2005	PFMF
DIP Generator	EMC -PARTNER	TRANSIENT -2000	TRA2000-376	230VA/50Hz/60Hz 0%Open/5S 0%Short/5S 40%/0.10S 70%/0.01S	May 10, 2006	DIP
Harmonic/Flicker Test System	EMC PARTNER	Harmonics -1000	HAR1000-41	4000VA 16A PEAK	Nov. 22, 2005	Harmonics, Flicker

Calibration Interval of instruments listed above is one year.

17. Notice for Class A Product

This Notice is for class A product only. If the Equipment under Test is a class B product, this notice should be disregarded.

Class A ITE is a category of all other ITE which satisfies the class A ITE limits but not the class B ITE limits. Such equipment should not be restricted in its sale but the following warning shall be included in the instructions for use:

Warning

This is a class A product. In a domestic environment this product may cause radio interference in which case the user may be required to take adequate measures.

18. Declaration of Conformity and the CE Mark

There are three possible procedures pertaining to the declaration of conformity :

18.1 Conformity Testing and Declaration of Conformity by the Manufacturer or His Authorized Representative Established within the Community or by an Importer.

- Article 10 (1) of the EMC Directive,
- § 3 (1) no. 2a of the EMC Act.

18.2 Declaration of Conformity Issued by the Manufacturer or His Authorized Representative Established within the Community or by an Importer Following Testing of the Product and Issued of an EC certificate of conformity by a competent body.

- Article 10 (2) of the EMC Directive,
- § 3 (1) no. 2b of the EMC Act.

18.3 Declaration of Conformity Issued by the Manufacturer or His Authorized Representative Established within the Community or by an Importer Following Testing and Certification of the Product by a Notified Body.

- Article 10 (5) of the EMC Directive,
- § 3 (1) no. 2b of the EMC Act (radio transmitting installations).

18.4 Specimen For The CE Marking Of Electrical / Electronical Equipment

The components of the CE marking shall have substantially the same vertical dimension, which may not be less than 5 mm.




APPENDIX A. Photographs of EUT













641706



641706



641706





641706

641706

