



## Configuration examples for the D-Link **NetDefend Firewall series** DFL-210/260/800/860/1600/2500 Scenario: How to block www.facebook.com

Last update: 2007-09-07

URL Blocking Facebook

Facebook (www.facebook.com) is a widely spread community for online communication and information sharing. D-Link NetDefend firewalls and UTMs can block access to Facebook and give network administrators the possibility to control the Internet usage. Please refer to the guide below how to block Facebook traffic.

#### Step 1 - Create new ALG

Go to "Objects" – "ALG" Click on "Add" and choose "http ALG" Type in a name and click OK.

D-Link Building Networks for People		Logged in as administrator admin - 192,168.20.10
🗞 Home 🔣 Configuration 👻 🎢 T	Fools 🗸 💁 Status 👻 😽 Maintenance 🕶	😚 Logout 🛛 👔
DFL-800	b content_filtering	
E Dijects	General File Integrity	
Address Book	General	<b>5</b>
Services	Vise an HTTP Application Layer Gateway to filter HTTP traffic.	
Authentication Objects	Name: FaceBook	
E 🙀 Rules	Active Content Handling	5
Interfaces		
E DP/PS	Strip ActiveX objects (including Flash)	
User Authentication	Strip Java applets	
Contractic Management	Strip Javascript/VBScript	
	Block Cookies	
	URL Verification	<b>1</b> 5
	Verify that URL's does not contain invalid UTF8 encoding	
	🕑 Fail Mode	5
	In cases where file integrity or content scanning fails, the ALG can according to the Fail Mode setting, either allow or deny the scanned file. Fail Mode: Deny	
	Omments	5
	Comments:	
		OK Cancel

### Step 2 – Add HTTP ALG URL

Click "Add" and choose "HTTP ALG URL"

Use an HTTP Applicat	ion Layer Gateway to filter HTTP traffic.		
			🚽 Edit the settings for this object
Add 🗕			
HTTP ALG URL	URL 🔻	Comments 🔻	
			D Picht click on a row for further action

Choose "Blacklist" in action and type in the URL you want to block. \*.facebook.com/\* to block a whole site. And click ok.

NTTP ALG URL				
🔊 General		5		
Blacklist U	URLs to deny access to complete sites, to file types by extension, or to URLs with certain words in them.			
Example for allowing/preventing all access to a whole site				
example.com/*				
*.example.com/*				
Note the trailing s	slash and double variations to allow/prevent access to "example.com" as well as "www.example.com" without false positives.			
Action:	Blacklist 🗸			
URL:	*.facebook.com/*			
🛃 Comments		5		
Comments:				
	ОК	Cancel		

**Step 3 Apply the ALG in Service** Go to "Objects" – "Services" and choose the service you want the ALG to be applied to. For example "all\_tcp"

Under "ALG" choose the ALG you just made and click ok.

D-Link Building Networks for People		Logged in as administrator admin - 192.168.20.10
🛠 Home 🛛 💥 Configuration 🗸 👫 Tools 🗸 🕤 Statu	👻 🔧 Maintenance 🕶	😚 Logout 🔰 P
♥ DFL-800     ● Objects     ● Services     ● Services     ● Objects     ● Objects     ● Services     ● Objects     ● Objects <t< td=""><td>PUDP Service is a definition of an TCP or UDP protocol with specific parameters.     all_tcp     C_P     0-65535     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700</td></t<> <td>S OK Cancel</td>	PUDP Service is a definition of an TCP or UDP protocol with specific parameters.     all_tcp     C_P     0-65535     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700     0-700	S OK Cancel

Click "Configuration" and "Save And Activate"

# What happens when Facebook is blocked by the NetDefend firewall or UTM?

If a user tries to access the domain <u>www.facebook.com</u> the next image is shown in the web browser....

