

Highlights

Fast Mobile Broadband for All Your Devices

Connect your high-speed mobile broadband connection to multiple Wi-Fi devices such as smartphones, tablets, PCs, and more

Security Features

Uses a built-in firewall and industry-standard WPA/ WPA2 security protocols to help keep your data safe from prying eyes

Go Anywhere

The DWR-932 is small enough to fit in your pocket, and its rechargeable battery means you're not tied to a wall outlet



DWR-932 4G/LTE Mobile Router

Features

Connectivity

- Uses a USIM card to connect to the Internet
- Compatible with 802.11n/g/b wireless devices
- Micro-USB port for easy charging

Portability

- Up to five hours of battery in one charge so you stay connected longer
- Small size lets you drop it in a purse or pocket and take it wherever you go

Security

- WPA/WPA2 Wi-Fi security protocols for industrystandard encryption
- Built-in firewall helps keep unwanted connections out
- Wi-Fi Protected Setup (WPS) for one-touch setup

The DWR-932 4G/LTE Mobile Router is a 4G LTE Cat4 high speed broadband wireless WAN (WWAN) to Wi-Fi mobile hotspot. The DWR-932 uses a 4G Internet connection to give you an easy-to-set-up Wi-Fi network anywhere you need one. Instead of limiting your mobile Internet connection to a single device through a USB dongle, the DWR-932 allows you to create a Wi-Fi hotspot to share your connection. The convenient size means you can share your connection anywhere; use it in a cafe to send e-mail while your friend reads the news, or at the airport so you and your coworkers can work while waiting for your plane.

Connect Anywhere

Simply insert your data-enabled SIM card to set up your very own mobile Wi-Fi network. The DWR-932 is perfect for when you need to quickly set up an impromptu network; it's ideal for business trips when you need to share an Internet connection with everybody during a meeting, or use it for travel, allowing you to provide all your travel companions with Internet access.

Security Features Help Protect Your Network


The DWR-932 4G/LTE Mobile Router is easy-to-use and includes a host of security features. The built-in firewall helps your network resist intrusions over the Internet, while WPA encryption helps prevent unauthorized users from connecting to your network. Wi-Fi Protected Setup (WPS) helps you quickly add new devices with just the touch of a button, getting you connected in no time.

Flexible Usage

The DWR-932 4G/LTE Mobile Router gives you instant connectivity, all in a powerful yet portable device, that fits easily into your pocket. The rechargeable 2000 mAh Li-on battery allows you to stay connected for long periods of time, and it's plug-and-play with no complicated software to install. Getting online with the DWR-932 4G/LTE Mobile Router is quick, easy, and convenient.



DWR-932 4G/LTE Mobile Router



| Technical Specifications General | | |
|----------------------------------|--|-------------------------------------|
| | | |
| Data Throughput ² | Downlink up to 150 Mbps | • Uplink up to 50 Mbps |
| Security | • WPA/WPA2 PSK Auto (TKIP/AES) | WPS Push-Button Connection |
| Advanced Functions | Built-in firewall Built-in NAT | • UPnP |
| Physical | | |
| Interfaces | 802.11n/g/b wireless LAN Standard mini-SIM card interface | Micro-USB port |
| Antenna | Internal LTE antenna 1x2 MIMO (UL/DL) | • 2 x internal Wi-Fi antenna |
| LED | Network type Battery status | • Wi-Fi status • Signal Strength |
| Power | • DC 5 V/1 A±5% | • 2000 mAh Li-ion battery |
| Dimensions | • 97 x 60 x 16.47 mm (3.82 x 2.63 x .65 in) | |
| Weight | • 95 g (3.35 oz) | |
| Operating Temperature | • 0 to 40 °C (32 to 104 °F) | |
| Storage Temperature | • -20 to 70 °C (-4 to 158 °F) | |
| Operating Humidity | • 10% to 90% (non-condensing) | |
| Certifications | ۰CE | • RoHS |

| Order Information | |
|-------------------|----------------------|
| Part Number | Description |
| DWR-932 | 4G/LTE Mobile Router |

1 Supported frequency band is dependent upon regional hardware version.
 2 Data rates are theoretical. Data transfer rate depends on network capacity and signal strength. Updated 2017/05/19

